


COLE SEED & SUPER UNIT WITH ROLL TOP TARP MADE BY VENNINGS

**IDEAL FOR AIR
SEEDERS OR
COMBINES**

**QUICK
UNLOADING &
CLEANING**



Fitted with heavy duty roll tarp

Roll tarp open allows for easy filling from either side of the bin

Roll tarp handle operated from the rear of the bin



Roll tarp handle on 21 spline for fine adjustment to keep the tarp tight

Two work light fitted to the bin

Light switch near motor operates lights

The manufacturer reserves the right to change specifications without notice or incurring obligation. Information contained herein is from data available at time of printing. Photo for illustration purposes only. All quoted capacities are nominal.



Discharge and sweep augers can be put in and out of gear from the combine or air seeder. Above picture showing auger out of gear.



Above picture showing auger handle in gear.



Discharge and sweep augers can also be put in and out of gear from the handles on the side of the bin.



Clutch drive for sweep & discharge augers out of gear




All moving parts are guarded for your protection & peace of mind.



Clutch drive for sweep auger mesh guarded so you are able to see what is going on under the cover.




Manual 1:1 winch for winching augers into position.




Winch kit for winching augers into position and supporting the augers while in use



13 H/P Vanguard Electric Start Motor with Battery fitted standard on 14-18' Bins. 21 H/P Vanguard Electric Start Motor with Battery fitted standard on 21-24' Bins.



Augers supports to support auger in transport position



Heavy duty hinges with heavy duty springs to assist in folding augers



PVC spouts available in 1200mm closed 2300mm opened or 600mm closed 1100mm opened



MANUFACTURED AND
DISTRIBUTED BY

40 MOONTA ROAD
KADINA SOUTH AUSTRALIA 5554

Phone 08 8821 1196


Fax 08 8821 2774

Web www.vennings.com.au
Email info@vennings.com.au

COLE SEED & SUPER UNIT WITH ROLL TOP TARP MADE BY VENNING'S

The Cole seed and super unit comes in a variety of sizes from 14' to 24' long. Ideal for air-seeders and combines alike, the longer top auger and bigger tube make the bin even easier to use. Discharging at a rate of over 500 kilograms of super per minute, filling an air-seeder or combine is a quick and hassle free experience.

Both 163mm (6 3/8") Augers are hinged for ease of transport. Both augers are PVC lined to prevent super build-up. A winch is fitted for raising & lowering of augers. Each bin is fitted with a large swivelling trapdoor at the bottom for quick unloading and cleaning. Augers can be run simultaneously or individually. 14-18' Bins powered by a 13 H/P Vanguard Electric start motor with option of Honda. 21-24' Bins powered by a 21 H/P Vanguard Electric start motor with option of Honda. Painted interior and 1200 Lumen LED work lights standard on all units

Bin	14' Bin	16' Bin	16' Bin	18' Bin	18' Bin	21' Bin	24' Bin
Bin Configuration	7' + 7'	8' + 8'	9' + 7'	9' + 9'	10' + 8'	10'6"+10'6"	12' + 12'
Bin Length (overall)	4.87 M	5.37 M	5.37 M	5.97 M	5.97 M	6.77 M	7.67 M
Chassis Length	4.50 M	5.00 M	5.00 M	5.60 M	5.60 M	6.40 M	7.30 M
Bin Width	2.40 M	2.40 M	2.40 M	2.40 M	2.40 M	2.40 M	2.40 M
Chassis Width	2.12 M	2.12 M	2.12 M	2.12 M	2.12 M	2.12 M	2.12 M
Fill Height	1.84/2.03 M	1.84/2.03 M	1.84/2.03 M	1.84/2.03 M	1.84/2.03 M	1.84/2.03 M	1.84/2.03 M
Overall Height	2.03 M	2.03 M	2.03 M	2.03 M	2.03 M	2.03 M	2.03 M
Lid Opening	1.92 M	2.30 M	2.60/2.00 M	2.59 M	2.89/2.30 M	3.00 M	3.45 M
Auger Discharge Height from truck Tray (measurement taken from steel outlet to truck tray height)	2.24 M	2.24 M	2.24 M	2.24 M	2.24 M	2.24 M	2.24 M
Auger Discharge Reach from truck Tray (measurement taken from steel outlet to truck tray)	2.40 M	2.40 M	2.40 M	2.40 M	2.40 M	2.40 M	2.40 M
Seed Capacity	6.8m³	8.2m³	6.8m³/8.9 m³	8.9m³	8.9m³/9.7 m³	10.2m³	12.3 m³
Fertiliser Capacity	6.8m³	8.2 m³	6.8m³/8.9 m³	8.9m³	8.9m³/9.7 m³	10.2m³	12.3 m³
Weight (approximate)							
Price Including GST	\$	\$	\$	\$	\$	\$	\$
13 H/P Electric start Honda add (14-18' Bin)			\$	Product		Approximate Ton Per M³	
20.8 H/P Electric start Honda add (21-24' Bin)			\$	Wheat, Lupins & Peas		0.75	
Hobbs Hoist Stands for lifting bin off of truck to suit 14-18' Bins			\$	Barley		0.62	
Hobbs Hoist Stands for lifting bin off of truck to suit 21-24' Bins			\$	Oats		0.50	
				MAP/DAP		0.85	
				Urea		0.67	
				Single Super		1.20	
			<div>ALL PRICES INCLUDE GST But exclude freight & Insurance if applicable</div>				
<div>Please note capacity / cubic metre varies significantly according to moisture content and variety. We have sourced our grain densities from Kondinin Group, The Workshop Companion to calculate bin capacities. http://www.kondininbookstore.com.au/the-workshop-companion/ Page 71 Chart 123</div>							



MANUFACTURED AND
DISTRIBUTED BY

40 MOONTA ROAD
KADINA SOUTH AUSTRALIA 5554

Phone 08 8821 1196

Fax 08 8821 2774

Web www.vennings.com.au

Email info@vennings.com.au

Visit webpage

